Brain Research, 528 (1990) 358–360
Elsevier

Author Index

Abramson, B., see Goldman, J.E., 189
Abribat, T., Boulanger, L. and Gaudreau, P., Characterization of [^{125}I-Tyr^{10}]human growth hormone-releasing factor(1–44) amide binding to rat pituitary: evidence for high and low affinity classes of sites, 291
Alvarado, M.C., see Mizumori, S.J.Y., 12
Amir, S. and Schiavetto, A., Injection of prostaglandin E_2 into the anterior hypothalamic preoptic area activates brown adipose tissue thermogenesis in the rat, 138
Araki, M., see Niijima, K., 151
Araki, T., Kato, H. and Kogure, K., Neuronal damage and calcium accumulation following repeated brief cerebral ischemia in the gerbil, 114
Archer, T., see Sundström, E., 181
Ashton, D., Willems, R., Marrannes, R. and Wauquier, A., Extracellular ions during veratridine-induced neurotoxicity in hippocampal slices: neuroprotective effects of flunarizine and tetrodotoxin, 212
Azmitia, E.C., see Whitaker-Azmitia, P.M., 155

Bakalian, M.J. and Fernstrom, J.D., Effects of L-tryptophan and other amino acids on electroencephalographic sleep in the rat, 300
Barnes, C.A., see Mizumori, S.J.Y., 12
Basbaum, A.I., see Kwiat, G.C., 83
Basbaum, A.I., see Matos, F.F., 39
Beck, B., Jhanwar-Uniyal, M., Burlet, A., Chapleur-Chateau, M., Leibowitz, S.F. and Burlet, C., Rapid and localized alterations of neuropeptide Y in discrete hypothalamic nuclei with feeding status, 245
Becker, G.L., see Pohorecki, R., 133
Benton, B.J., see Chang, F.-C.T., 259
Biffo, S., DeLucia, R., Mulatero, B., Margolis, F. and Fasolo, A., Carnosine-, calcitonin gene-related peptide- and tyrosine hydroxylase-immunoreactivity in the mouse olfactory bulb following peripheral denervation, 353
Bitran, D., see Sachs, B.D., 99
Borrel, J., see del Cerro, S., 162
Boulanger, L., see Abribat, T., 291
Burlet, A., see Beck, B., 245
Burlet, C., see Beck, B., 245
Böhmer, G., see Schmid, K., 1

Carraghty, P.E., Florence, S.L. and Kaas, J.H., Ablations of areas 3a and 3b of monkey somatosensory cortex abolish cutaneous responsivity in area 1, 165
del Cerro, S. and Borrel, J., Interleukin-1 affects the behavioral despair response in rats by an indirect mechanism which requires endogenous CRF, 162
Chang, F.-C.T., Benton, B.J., Salyer, J.L., Foster, R.E. and Franz, D.R., Respiratory and cardiovascular effects of tetrodotoxin in urethane-anesthetized guinea pigs, 259
Chapleur-Chateau, M., see Becker, B., 245

De Backer, J.-P., see Keyser, J. de, 308
DeLucia, R., see Biffo, S., 353
Dong-Feng, L., see Shu-Cheng, L., 159

Ebendal, T., see Mohammed, A.K., 62
Ebinger, G., see Keyser, J. de, 308
Edeson, R.O., see Madsen, B.W., 323
Eeckman, F.H. and Freeman, W.J., Correlations between unit firing and EEG in the rat olfactory system, 238

Fasolo, A., see Biffo, S., 353
Feder, H.H., see Vincent, P.A., 95
Fernstrom, J.D., see Bakalian, M.J., 300
Fernández-Ruiz, J.J., see Hernández, M.L., 175
Fleshner, M., see Watkins, L.R., 273
Florence, S.L., see Carraghty, P.E., 165
Foster, R.E., see Cheng, F.-C.T., 259
Fowler, S.R., see Sickles, D.W., 25
Franz, D.R., see Chang, F.-C.T., 259
Frederiksson, A., see Sundström, E., 181
Freeman, W.J., see Eeckman, F.H., 238
Frotscher, M., see Nitsch, R., 327
Fukunaga, R., see Kitagawa, K., 21

Gale, K., see Maggio, R., 223
Gaudreau, P., see Abribat, T., 291
Goldman, J.E. and Abramson, B., Cyclic AMP-induced shape changes of astrocytes are accompanied by rapid depolymerization of actin, 189
Gotoh, H., see Takenaka, T., 285

Hagio, T., see Takano, Y., 231
Hahn, I.-H., see Singer, H.S., 73
Hamamura, T., see Kashihara, K., 80
Handa, N., see Kitagawa, K., 21
Hata, R., see Kitagawa, K., 21
Harrison, M.B., Wiley, R.G. and Wooten, F., Selective localization of striatal D_1 receptors to striatonigral neurons, 317
Hernández, M.L., Miguel, R. de, Ramos, J.A. and Fernández-Ruiz, J.J., Prolactin inhibits the activity of tyrosine hydroxylase in cultured bovine adrenal chromaffin cells in a dose-dependent manner, 175
Hikawa, N., see Takenaka, T., 285
Holmes, L.J., Storlien, L.H. and Smythe, G.A., Medial basal hypothalamic monoamine activity associated with intracerebroventricular *p*-chlorophenylalanine-induced hyperphagia, 269
Holtzman, S.G., see Mumford, G.K., 32
Hunsaker, J.C., see Skene, D.J., 170

Israel, J.-M., see Lledo, P.-M., 143
Jen, P.H.S., see Kamada, T., 123
Jhanwar-Uniyal, M., see Beck, B., 245
Jin-Chang, J., see Shu-Cheng, L., 159

Kaas, J.H., see Carraghty, P.E., 165
Kamada, T. and Jen, P.H.S., Auditory response properties and directional sensitivity of cerebellar neurons of the echolocating bat, *Eptesicus fuscus*, 123
Kamada, T., see Kitagawa, K., 21
Kamiya, H., see Takano, Y., 231
Kashiba, H., Senba, E., Ueda, Y. and Tohyama, M., Calbindin D28k-containing splanchnic and cutaneous dorsal root ganglion neurons of the rat, 311
Kashihara, K., Hamamura, T., Okumura, K. and Otsuki, S., Effect of MK-801 on endogenous dopamine release in vivo, 80
Kato, H., see Araki, T., 114
Kawakami, T., see Takenaka, T., 285
Keyser, J. de, De Backer, J.-P., Vauquelin, G. and Ebinger, G., The effect of aging on the D_1 dopamine receptors in human frontal cortex, 308
Kimura, H., see Niijima, K., 151
Kimura, K., see Kitagawa, K., 21
Kitagawa, K., Matsumoto, M., Tagaya, M., Hata, R., Ueda, H., Niinobe, M., Handa, N., Fukunaga, R., Kimura, K., Mikoshiba, K. and Kamada, T., Ischemic tolerance phenomenon found in the brain, 21
Kogure, K., see Araki, T., 114
Kudo, Y. and Yamazaki, K., Quin2 protects against neuronal cell death due to Ca^{2+} overload, 48
Kwiat, G.C. and Basbaum, A.I., Organization of tyrosine hydroxylase- and serotonin-immunoreactive brainstem neurons with axon collaterals to the periaqueductal gray and the spinal cord in the rat, 83

Laitinen, J.T. and Saavedra, J.M., The chick retinal melatonin receptor revisited: localization and modulation of agonist binding with guanine nucleotides, 349
Landers, D.F., see Pohorecki, R., 133
Lärkfors, L., see Mohammed, A.K., 62
Lasater, E.M., see Sullivan, J.M., 130
Leibowitz, S.F., see Beck, B., 245
Leranth, C., see Nitsch, R., 327
Liminga, U., see Maggio, R., 223
Lledo, P.-M., Israel, J.-M. and Vincent, J.-D., A guanine nucleotide-binding protein mediates the inhibition of voltage-dependent calcium currents by dopamine in rat lactotrophs, 143

Madsen, B.W. and Edeson, R.O., Ethanol enhancement of a calcium-activated potassium current in an identified molluscan neuron, 323
Maggio, R., Liminga, U. and Gale, K., Selective stimulation of kainate but not quisqualate or NMDA receptors in substantia nigra evokes limbic motor seizures, 223

March, J.L., see Singer, H.S., 73
Margolis, F., see Biffo, S., 353
Marrannes, R., see Ashton, D., 212
Matos, F.F., Rollema, H. and Basbaum, A.I., Characterization of monoamine release in the lateral hypothalamus of awake, freely moving rats using in vivo microdialysis, 39
Matsumoto, M., see Kitagawa, K., 21
McEwen, B.S., see Mendelson, S.D., 339
McNaughton, B.L., see Mizumori, S.J.Y., 12
Mendelson, S.D. and McEwen, B.S., Chronic testosterone propionate treatment decreases the concentration of [^{3}H]quipazine binding at 5-HT$_3$ receptors in the amygdala of the castrated male rat, 339
Miguel, R. de, see Hernández, M.L., 175
Mikoshiba, K., see Kitagawa, K., 21
Miletic, V., see Tan, H., 344
Mizumori, S.J.Y., Perez, G.M., Alvarado, M.C., Barnes, C.A. and McNaughton, B.L., Reversible inactivation of the medial septum differentially affects two forms of learning in the rat, 12
Mohammed, A.K., Winblad, B., Ebendal, T. and Lärkfors, L., Environmental influence on behaviour and nerve growth factor in the brain, 62
Mulatero, B., see Biffo, S., 353
Mumford, G.K. and Holtzman, S.G., Methylxanthines elevate reinforcement threshold for electrical brain stimulation: role of adenosine receptors and phosphodiesterase inhibition, 32
Munoz, D.G., Monodendritic neurons: a cell type in the human cerebellar cortex identified by chromogranin A-like immunoreactivity, 335
Murphy, R., see Whitaker-Azmitia, P.M., 155

Nagashima, A., see Takano, Y., 231
Nagatsu, I., see Niijima, K., 151
Niijima, K., Araki, M., Ogawa, M., Nagatsu, I., Sato, F., Kimura, H. and Yoshida, M., Enhanced survival of cultured dopamine neurons by treatment with soluble extracts from chemically deafferentiated striatum of adult rat brain, 151
Niinobe, M., see Kitagawa, K., 21
Nitsch, R., Leranth, C. and Frotscher, M., Most somatostatin-immunoreactive neurons in the rat fascia dentata do not contain the calcium-binding protein parvalbumin, 327

Ogawa, M., see Niijima, K., 151
Okumura, K., see Kashihara, K., 80
Otsuki, S., see Kashihara, K., 80

Palacios, J.M., see Waeber, C., 197
Palacios, J.M., see Waeber, C., 207
Perez, G.M., see Mizumori, S.J.Y., 12
Pévet, P., see Skene, D.J., 170
Pohorecki, R., Becker, G.L., Reilly, P.J. and Landers, D.F., Ischemic brain injury in vitro: protective effects of NMDA receptor antagonists and calmidazolium, 133

Ramos, J.A., see Hernández, M.L., 175
Randall, P.K., see Wilcox, R.E., 109
Ravid, D., see Skene, D.J., 170
Reilly, P.J., see Pohorecki, R., 133
Riffee, W.H., see Wilcox, R.E., 109
Rollema, H., see Matos, F.F., 39

Saavedra, J.M., see Laitinen, J.T., 349
Sachs, B.D. and Bitran, D., Spinal block reveals roles for the brain and spinal cord in the mediation of reflexive penile erections in rats, 99
Salyer, J.L., see Chang, F.-C.T., 259
Sato, F., see Niijima, K., 151
Sawynok, J., see Sweeny, M.I., 55
Schenkel, E., see Wu, M.-F., 330
Schiavetto, A., see Amir, S., 138
Schipper, H.M. and Wang, E., Expression of statin, a non-proliferation-dependent nuclear protein, in the postnatal rat brain: evidence for substantial retention of neuroglial proliferative capacity with aging, 250
Schmid, K., Böhmer, G. and Weichel, T., Concurrent fast and slow synchronized efferent phrenic activities in time and frequency domain, 1
Searles, C.D., see Singer, H.S., 73
Senba, E., see Kashiba, H., 311
Severson, J.A., see Wilcox, R.E., 109
Shouse, M.N., see Wu, M.-F., 330
Shu-Cheng, L., Dong-Feng, L. and Jin-Chang, J., Call and skin gland secretion induced by stimulation of midbrain in urodele (*Andrias davidianus*), 159
Sickles, D.W., Fowler, S.R. and Testino, A.R., Effects of neurofilamentous axonopathy-producing neurotoxicants on in vitro production of ATP by brain mitochondria, 25
Siegel, J.M., see Wu, M.-F., 330
Singer, H.S., Searles, C.D., Hahn, I.-H., March, J.L. and Troncoso, J.C., The effect of aluminum on markers for synaptic neurotransmission, cyclic AMP, and neurofilaments in a neuroblastoma glioma hybridoma (NG 108-15), 73
Skene, D.J., Vivien-Roels, B., Sparks, D.L., Hunsaker, J.C., Pévet, P., Ravid, D. and Swaab, D.F., Daily variation in the concentration of melatonin and 5-methoxytryptophol in the human pineal gland: effect of age and Alzheimer's disease, 170
Smiálowski, A., Inhibition of low calcium induced epileptiform discharges in the hippocampus by dopamine D1 receptor agonist, SKF 38393, 148
Smythe, G.A., see Holmes, L.J., 269
Sparks, D.L., see Skene, D.J., 170
Storlien, L.H., see Holmes, L.J., 269
Sullivan, J.M. and Lasater, E.M., An unusually potassium current that is well-suited to a retinal neuron which is chronically depolarized, 130
Sundström, E., Frederiksson, A. and Archer, T., Chronic neurochmical and behavioral changes in MPTP-lesioned C57BL/6 mice: a model for Parkinson's disease, 181
Swaab, D.F., see Skene, D.J., 170
Sweeny, M.I., White, T.D. and Sawynok, J., 5-Hydroxytryptamine releases adenosine and cyclic AMP from primary afferent nerve terminals in the spinal cord in vivo, 55

Tagaya, M., see Kitagawa, K., 21
Takano, Y., Nagashima, A., Hagio, T., Tateishi, K. and Kamiya, H., Role of central tachykinin peptides in cardiovascular regulation in rats, 231
Takenaka, T., Kawakami, T., Hikawa, N. and Gotoh, H., Axoplasmic transport of mitochondria in cultured dorsal root ganglion cells, 285
Tan, H. and Miletic, V., Electrophysiological properties of frog spinal dorsal horn neurons and their responses to serotonin: an intracellular study in the isolated hemisected spinal cord, 344
Tateishi, K., see Takano, Y., 231
Testino, A.R., see Sickles, D.W., 25
Thurston, C.L., see Watkins, L.R., 273
Tohyama, M., see Kashiba, H., 311
Troncoso, J.C., see Singer, H.S., 73

Ueda, H., see Kitagawa, K., 21
Ueda, Y., see Kashiba, H., 311

Vaughn, D.M., see Wilcox, R.E., 109
Vauquelin, G., see Keyser, J. de, 308
Vincent, J.-D., see Lledo, P.-M., 143
Vincent, P.A. and Feder, H.H., Progestin receptors in the ventromedial nucleus of the hypothalamus and arcuate nucleus-median eminence are decreased by idazoxan, 95
Vivien-Roels, B., see Skene, D.J., 170

Waeber, C. and Palacios, J.M., 5-HT$_1$ receptor binding sites in the guinea pig superior colliculus are predominantly of the 5-HT$_{1D}$ class and are presynaptically located on primary retinal afferents, 207
Waeber, C., Zhang, L. and Palacios, J.M., 5-HT$_{1D}$ receptors in the guinea pig brain: pre- and postsynaptic localizations in the striatonigral pathway, 197
Wang, E., see Schipper, H.M., 250
Watkins, L.R., Thurston, C.L. and Fleshner, M., Phenylephrine-induced antinociception: investigations of potential neural and endocrine bases, 273
Wauquier, A., see Ashton, D., 212
Weichel, T., see Schmid, K., 1
Whitaker-Azmitia, P.M., Murphy, R. and Azmitia, E.C., Stimulation of astroglial 5-HT$_{1A}$ receptors releases the serotonergic growth factor, protein S-100, and alters astroglial morphology, 155
White, T.D., see Sweeny, M.I., 55
Wilcox, R.E., Severson, J.A., Woodward, J.J., Randal, P.K., Vaughn, D.M. and Riffee, W.H., Behavioral sensitization following a single apomorphine pretreatment — selective effects on the dopamine release process, 109
Wiley, R.G., see Harrison, M.B., 317
Willems, R., see Ashton, D., 212
Winblad, B., see Mohammed, A.K., 62
Woodward, J.J., see Wilcox, R.E., 109
Wooten, F., see Harrison, M.B., 317
Wu, M.-F., Siegel, J.M., Shouse, M.N. and

Schenkel, E., Lesions producing REM sleep without atonia disinhibit the acoustic startle reflex without affecting pre-pulse inhibition, 330

Yamazaki, K., see Kudo, Y., 48

Yoshida, M., see Niijima, K., 151

Zhang, L., see Waeber, C., 197

(contents continued)

Electrophysiological properties of frog spinal dorsal horn neurons and their responses to serotonin: an intracellular study in the isolated hemisected spinal cord
H. Tan and V. Miletic (U.S.A.) 344

The chick retinal melatonin receptor revisited: localization and modulation of agonist binding with guanine nucleotides
J.T. Laitinen and J.M. Saavedra (U.S.A.) 349

Carnosine-, calcitonin gene-related peptide- and tyrosine hydroxylase-immunoreactivity in the mouse olfactory bulb following peripheral denervation
S. Biffo, R. DeLucia, B. Mulatero, F. Margolis and A. Fasolo (U.S.A.) 353

Author Index 358